

# H&M GROUP CHEMICAL RESTRICTIONS 2023

## RESTRICTED SUBSTANCES LIST (RSL)

### Toys

Valid for all brands in the H&M Group.

Group Compliance



## Contents

Contents .....	2
General.....	3
Commitment .....	3
Examples .....	4
Definitions.....	6
Abbreviations .....	6
Requirements.....	7
General requirements .....	7
Toy standards – applicable for all markets.....	7
Country specific standards/test requirements.....	8
Requirements based on classification.....	8
Material requirements .....	8

## General

H&M Group Chemical Restrictions consists of 12 parts:

- i. Aerosol Dispensers
- ii. Textile products, Accessories, Footwear, Bags and Belts
- iii. Candles
- iv. Chemical Products
- v. Cosmetic Products
- vi. Electrical and Electronic Products and Batteries
- vii. Food Contact Products
- viii. Furniture
- ix. Hardline
- x. Medical Devices
- xi. Non-Commercial Goods (NCG), Construction and Packaging
- xii. Toys**

Please find out more about H&M Group Chemical Management [here](#).

## Commitment

By accepting H&M Group Standard Purchase Conditions, the Supplier commits to comply with H&M Group Chemical Restrictions. The Supplier is responsible to assure compliance and to inform all their upstream suppliers and subcontractors about its content.


By accepting H&M Group Standard Purchase Conditions, each Supplier acknowledges that H&M Group reserves the right to:


- Inspect and test any product, any part of production and/or packaging, by any listed or appropriate method, at any time or at any stage of production.
- Cancel the Order, or, if the products are already delivered, return the products to the Supplier if the product, production and/or packaging do not correspond to the H&M Group Chemical Restrictions.
- Hold the Supplier responsible for any damage caused by the ordered product if the product, production and/or packaging do not correspond to the H&M Group Chemical Restrictions.
- Receive Safety Data Sheets (SDS) for all substances and preparations (dyes, colorants, solvents, chemicals, etc.) used in the production of a specific Order.
- Request the Supplier to change substances and preparations (dyes, colorants, solvents, chemicals, etc.) used in the production to comply with H&M Group Chemical Restrictions.

**In the case of contradictory test results, H&M Group's test results will prevail.**

## Examples

All details on your product must comply with H&M Group Chemical Restrictions. The following examples do not claim to be complete.

	<ul style="list-style-type: none"><li>➤ <b>Soft toys</b> Follow <i>H&amp;M Group Chemical Restrictions Textile Products, Accessories, Footwear, Bags and Belts</i> Follow <i>H&amp;M Group Chemical Restrictions Toys</i></li> <li>➤ <b>Art material (pens, crayons, paint and fancy sticky tape)</b> Follow <i>H&amp;M Group Chemical Restrictions Chemical Products</i> Follow <i>H&amp;M Group Chemical Restrictions Toys</i></li> <li>➤ <b>Costumes</b> Follow <i>H&amp;M Group Chemical Restrictions Textile Products, Accessories, Footwear, Bags and Belts</i> Follow <i>H&amp;M Group Chemical Restrictions Toys</i></li> <li>➤ <b>Accessories for dressing up, i.e. wings and headband used for dressing up as a unicorn.</b> Follow <i>H&amp;M Group Chemical Restrictions Textile Products, Accessories, Footwear, Bags and Belts</i> Follow <i>H&amp;M Group Chemical Restrictions Toys</i></li></ul>
--	---



➤ **Lip balm in a toy-like packaging**

*Toy-like packaging:*

Follow *H&M Group Chemical Restrictions Non-Commercial Goods (NCG), Construction and Packaging*

Follow *H&M Group Chemical Restrictions Toys*

*Content:*

Follow *H&M Group Chemical Restrictions Cosmetic products*

➤ **Face/Body/Nail stickers**

*Upper material:*

Follow *H&M Group Chemical Restrictions Textile Products, Accessories, Footwear, Bags and Belts*

Follow *H&M Group Chemical Restrictions Toys*

*Glue:*

Follow specific requirements for *Glue applied on Face/Body/Nail/Hair stickers* in *H&M Group Chemical Restrictions Textile Products, Accessories, Footwear, Bags and Belts: Cosmetic Accessories*.

## Definitions

Concentration Limit	The substance must not be present in the product at concentrations above this limit.
Usage ban	The substance must not be used in production and it must not be added to the product <sup>1</sup> .
Homogeneous	Uniform composition throughout, i.e. a material that cannot be mechanically disjointed into different materials.
Safety Data Sheets	All chemicals used should have Safety Data Sheets, SDS, showing that they do not contain restricted substances. More information about SDS can be found in the AFIRM Toolkit <sup>2</sup> , appendix H.
Substances defined as hazardous due to intrinsic properties.	Persistent, bioaccumulative and toxic (PBT), very persistent and very bioaccumulative (vPvB), carcinogenic, mutagenic and toxic for reproduction (CMR), endocrine disruptors (ED) or equivalent concern

## Abbreviations

CAS no	Chemical Abstracts Service number, an identification number for chemicals in this database.
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
ppm	Parts per million, which is the same as mg/kg.
REACH	Registration, Evaluation, Authorization and restriction of Chemicals
SVHC	Substances of Very High Concern
SDS	Safety Data Sheet

<sup>1</sup> Impurities at low concentrations of these substances may be accepted only if technically unavoidable due to e.g. raw materials, formation in the manufacturing process, storage or packaging.

<sup>2</sup> [www.afirm-group.com/toolkit/](http://www.afirm-group.com/toolkit/)

## Requirements

General requirements		
<b>H&amp;M Group Chemical Restrictions – Textile Products, Accessories, Footwear, Bags and Belts</b>	<b>All soft toys and costumes/dress-up must comply with <i>H&amp;M Group Chemical Restrictions Textile Products, Accessories, Footwear, Bags and Belts</i>, both with respect to production and product requirements.</b>	
<b>H&amp;M Group Chemical Restrictions – Chemical products</b>	Toys that are also chemical products as pens, crayons and paint must comply with requirements in <i>H&amp;M Group Chemical Restrictions Chemical products</i> .	
<b>H&amp;M Group Chemical Restrictions – Cosmetic products</b>	For toys that are also cosmetic products, the content/formula of the product must comply with requirements in <i>H&amp;M Group Chemical Restrictions Cosmetic Products</i> .	
<b>H&amp;M Group Chemical Restrictions – Non-Commercial Goods (NCG), Construction and Packaging</b>	If the toy is sold in a packaging, this must also comply with <i>H&amp;M Group Chemical Restrictions Non-Commercial Goods (NCG), Construction and Packaging</i> .	
Toy standards – applicable for all markets		
European Standards for Safety of Toys EN 71	All toys must comply with and be tested according to the latest valid edition of stated EN 71 Toy standards.	
	Applicable material and type of toy to be tested	
	EN 71-3; Migration of certain elements	Applicable for all toy material
	EN 71-12; N-Nitrosamines and N-nitrosatable substances	Applicable for Plastic and Rubber
EN 71-9; Organic chemical compounds – Requirements Method: EN 71-10 and EN 71-11	According to Table 1 in EN 71-9 (contact your testing lab for advice). Check clauses 4.2 (Liquids) and 4.3 (Formaldehyde) in EN 71-9, as applicable	
<b>ASTM F963</b>	All toys must comply with and be <b>tested</b> for valid edition of US Standard ASTM F963.	
<b>NB-TOYS/2012/26, EC type approval protocol No. 2 Microbiological safety of toys containing aqueous media</b>	All toys containing aqueous media which the child is likely to become exposed to during normal or foreseeable use of the toys must comply with NB-TOYS/2012/26, EC type approval protocol No. 2	

Country specific standards/test requirements		
Market	Standard/Test/Law	Requirement
Australia	AS/NZS ISO 8124-3	All toys for the Australian market must comply with and be <b>tested</b> according to the latest valid edition of AS/NZS ISO 8124-3.
China	<b>GB 31701-2015</b> <i>Safety Technical Code for Infants and Textile Products (phthalates and total lead and cadmium)</i> <b>And</b> <b>GB 6675.1-2014</b> <i>Phthalate content</i> <b>GB 6675.4-2014</b> <i>Migration of certain elements</i>	Disguise costumes including accessories to costumes shall comply with GB 31701-2015 and GB 6675.4-2014.  The Phthalate contents in plasticized material shall comply with GB 6675.1-2014 table 2.  Soft toys shall comply with GB 6675.4-2014.  Please see separate <i>Test Routine for Soft Toys and Disguise Costumes for China</i> .
Japan	Japanese Food Sanitation Law (JFSL)	All toys for the Japanese market must comply with and be <b>tested</b> according to Japanese Food Sanitation Law (JFSL) Section IV "Toys". Tests should be performed at an official MHLW registered laboratory <sup>3</sup> who will issue certificate of analysis showing compliance.
Turkey	Phthalates and azo	All toys for the Turkish market must be <b>tested</b> for phthalates and azo dyes. Plastic should be tested for phthalates and textile materials should be tested for azo dyes. More information is to be found in <i>TR – Toys Shipping Instructions</i> . For limits and test methods see <i>H&amp;M Group Chemical Restrictions Textile Products, Accessories, Footwear, Bags and Belts</i> .
USA	CPSIA	All toys for the US market must be <b>tested</b> for lead and phthalates according to the <i>CPSIA routine</i> found on Inside. A certificate should be made based on the third-party test results.
Requirements based on classification		
<b>CMR - Carcinogenic, Mutagenic or toxic for Reproduction</b>		Substances that are classified as carcinogenic, mutagenic or toxic for reproduction (CMR) of category 1A, 1B or 2 shall not be used in toys, in components of toys or in micro-structurally distinct parts of toys.
Material requirements		
<b>Polycarbonate (PC) plastic</b>		Usage ban

<sup>3</sup> A list of the official MHLW registered laboratories can be found at the following MHLW website: <http://www.mhlw.go.jp/english/topics/importedfoods/1-10.html>



Restricted substance	CAS no	Concentration Limit			Applicable Materials							Test method/ Standard
					Plastic	Rubber	Coating/ Painting	Metal	Natural fibres	Synthetic fibres	Paper Wood	
<b>Polyaromatic hydrocarbons (PAH)</b>												
		Toys which are intended to be taken in the mouth or intended to have long-term skin contact (longer than 30 seconds)	Toys with predictable skin contact longer than 30 seconds (long-term skin contact) or repeated short-term skin contact	All other toys								AfPS Extraction with toluene followed by GC-MS analysis (reporting limit 0.2 ppm)
Benzo[a]anthracene	56-55-3	< 0.2 ppm	< 0.2 ppm	< 0.5 ppm								
Benzo[a]pyrene	50-32-8	< 0.2 ppm	< 0.2 ppm	< 0.5 ppm								
Benzo[b]fluoranthene	205-99-2	< 0.2 ppm	< 0.2 ppm	< 0.5 ppm								
Benzo[e]pyrene	192-97-2	< 0.2 ppm	< 0.2 ppm	< 0.5 ppm								
Benzo(g,h,i)perylene	191-24-2	< 0.2 ppm	< 0.2 ppm	< 0.5 ppm								
Benzo[j]fluoranthene	205-82-3	< 0.2 ppm	< 0.2 ppm	< 0.5 ppm	•	•	•					
Benzo[k]fluoranthene	207-08-9	< 0.2 ppm	< 0.2 ppm	< 0.5 ppm								
Chrysene	218-01-9	< 0.2 ppm	< 0.2 ppm	< 0.5 ppm								
Dibenzo[a,h]anthracene	53-70-3	< 0.2 ppm	< 0.2 ppm	< 0.5 ppm								
Indeno(1,2,3-c,d)pyrene	193-39-5	< 0.2 ppm	< 0.2 ppm	< 0.5 ppm								
Acenaphthene	83-32-9	Sum < 1 ppm	Sum < 5 ppm	Sum < 20 ppm								
Acenaphthylene	208-96-8											
Anthracene	120-12-7											
Fluoranthene	206-44-0											
Fluorene	86-73-7											
Phenanthrene	85-01-8											
Pyrene	129-00-0											
Naphthalene	91-20-3	< 1 ppm	< 2 ppm	< 10 ppm								
<i>Sum of 18 PAH</i>		< 1 ppm	< 5 ppm	< 20 ppm								

Restricted substance	CAS no	Concentration Limit	Applicable Materials								Test method/ Standard
			Plastic	Rubber	Coating/ Printing	Metal	Natural fibres	Synthetic fibres	Paper Wood	Aqueous material	
<b>Bisphenol A</b>	80-05-7	0.04 mg/l (migration limit)	•		•				•		EN 71-10 and EN 71-11
<b>Styrene</b>	100-42-5	0.75 mg/l (migration limit)	•	•	•						EN 71-10 and EN 71-11
<b>Styrene-based polymers</b>	Various	Upcoming restriction for Toys. The restriction will be extended to all product categories by end of 2025	•	•							Input control
<b>Formamide</b>	75-12-7	<i>Foam material:</i> 200 mg/kg (total amount)	•	•							Acetone extraction using ultrasound followed by GC/MS analysis.
<b>Formaldehyde</b>	50-00-0	<p><i>Textile components</i> of toys intended for children ≤ 3 years of age. Each part of the product (e.g., main fabric, print, fusing and binding) must comply with the restriction limit: (A-A0) &lt; 0.05 (16 mg/kg). The whole order must fulfil this requirement. Textile components of toys intended for children &gt; 3 years of age must comply with the restriction limit: 75 mg/kg.</p> <p><i>Leather components</i> of toys intended for Children ≤ 3 years of age must comply with the restriction limit: 30 mg/kg</p> <p><i>Paper components</i> of toys intended for Children ≤ 3 years of age must comply with the restriction limit: 30 mg/kg. Children &gt; 3 years of age must comply with the restriction limit: 75 mg/kg. If an order includes products intended for children under 3 years of age, the whole order must fulfil this requirement.</p> <p><i>Resin-bonded wood components</i> of toys shall not release formaldehyde more than 75 mg/kg.</p> <p><i>Polymeric components</i> of toys intended for children ≤ 3 years of age must comply with the restriction limit: 1.5 mg/l (migration limit).</p>									<p><i>Textile:</i> JIS L 1041-2011, Method A (Reporting limit: (A-A0) &lt; 0.02 (=5 mg/kg)) or ISO 14184-1 (Reporting limit 16 mg/kg).</p> <p><i>Leather:</i> EN ISO 17226-1</p> <p><i>Plastic, Rubber, Coating and Printing:</i> EN 71-10 and EN 71-11</p> <p><i>Paper:</i> EN 645 and EN 1541 (Reporting limit 5 mg/kg)</p> <p><i>Wood:</i> EN 717-3 (Reporting limit 20 mg/kg)</p>

Restricted substance	CAS no	Concentration Limit	Applicable Materials							Test method/ Standard	
			Plastic	Rubber	Coating/ Painting	Metal	Natural fibres	Synthetic fibres	Paper Wood		Aqueous material
<b>Phenol</b>	108-95-2	<i>In polymeric materials including polymeric coating if thicker than 500 µm: 5 mg/l (migration limit) As a preservative in water-based toy-material: 10 mg/kg (total amount)</i>	•	•	•					•	EN 71-10 and EN 71-11
<b>BIT</b> (1,2-Benzisothiazol-3 (2H) –one)	2634-33-5	≤ 5 mg/kg (total amount) for aqueous material								•	EN 71-10 and EN 71-11
<b>CMI and MI (3:1)</b> (5-Chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H-isothiazol- 3-one (3:1))	55965-84-9	≤ 1 mg/kg (total amount) for aqueous material								•	EN 71-10 and EN 71-11
<b>CMI</b> (5-Chloro-2- methylisothiazolin-3 (2H) –one)	26172-55-4	≤ 0.75 mg/kg (total amount) for aqueous material								•	EN 71-10 and EN 71-11
<b>MI</b> (2-methylisothiazolin-3 (2H) –one)	2682-20-4	≤ 0.25 mg/kg (total amount) for aqueous material								•	EN 71-10 and EN 71-11
<b>Flame retardants</b>											
<b>TCEP</b> (Tris (2-chloroethyl) phosphate)	115-96-8	5 mg/kg each for children under 36 months and in other toys intended to be placed in the mouth									EN ISO 17881-1/2
<b>TDCP</b> (Tris(1,3-dichloro- isopropyl) phosphate)	13674-87-8						•	•			
<b>Aniline</b>	62-53-3	30 mg/kg after reductive cleavage in textile toy material and leather toy material					•	•		•	EN ISO 14362-1 (textile) EN ISO 17234-1 (leather)